

Mixing / MixMatic
M1202



passion for sports grounds

Mixing / MixMatic

M1202

Batch mixer for binder, rubber granules and gravel.

Option: charging vat

Materials for sports surfaces, such as granulate, gravel, cork and PU-coating are homogeneously mixed by the MixMatic M1202. The M1202 is also ideal for industrial floors, e.g. for cementbound floor screeds or epoxy resin floor coverings.

The robust construction of the machines is designed to withstand the extremely tough conditions of non-stop work on job sites. Thus, the low filling lever for loading and the strong lifting hydraulics for the speedy discharging of the mixed material turn out to be key benefits. Extremely intensive mixing of the materials shortens mixing cycles. Using an extra charging vat (optional) can expedite the mixing process. The basic mixer lifting hydraulics facilitate the loading.



passion for sports grounds

Mixing / MixMatic M1202

Details



Mixing container with mixing tool (changeable)



Charging vat for rational charging of materials



Container emptying in all standard dumpers



passion for sports grounds

Mixing / MixMatic

M1202

Technical information

| | |
|-----------------------|--|
| Drive: | M1202 D: diesel engine 14,9 kW (20 PS) M1202 E: electric motor 8 kW / 400 V / 50 Hz / 15 A |
| Electrical equipment: | Compact control in a housing protected against spraying water; with switch for changing the direction of turn |
| Mixing capacity: | 150 kg/2 min |
| Mixer drive: | Hydraulic aggregate with tank, pump, oil cooler, control valve, main control block, level indicator with thermometer. Pump and oil cooler driven by the motor via twin V-belts, tank capacity 45 litres. |
| Weight: | M1202 D: 650kg M1202 E: 550kg |
| Dimensions: | L 2.300 x B 1.000 x H 1.150 mm |

Subject to technical alterations



passion for sports grounds